SCIENCE LIBRARY

THE BIOCHEMICAL JOURNAL

Edited for

THE BIOCHEMICAL SOCIETY

Editorial Board

W. V. THORPE (*Chairman*) H. J. ROGERS (*Deputy Chairman*)
E. P. ABRAHAM C. H. GRAY
W. N. ALDRIDGE D. C. HARRISON
J. S. D. BACON J. LASCELLES
W. BARTLEY L. W. MAPSON
K. BURTON R. MARKHAM
E. A. DAWES R. J. PENNINGTON
R. M. C. DAWSON J. J. SCOTT

Secretary to the Board: F. CLARK

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1
AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK 22, N.Y.

Price 3s. 6d. net
(U.S.A. 50 cents)

The *Biochemical Journal* is conducted by **The Biochemical Society** and is published by the Cambridge University Press. The *Journal* is issued in four volumes per year. Each volume consists of approximately 600 pages, published in three parts at intervals of one month. The index for each volume is issued separately.

The Biochemical Society was instituted solely for the advancement of the Science of Biochemistry, and holds meetings at different centres for the communication of original papers, and for the discussion of current problems. Persons interested in Biochemistry are eligible for election. Members whose subscriptions are not in arrears are entitled to receive the *Biochemical Journal* without further payment. Further information may be obtained from the Honorary Secretaries, Dr P. N. Campbell, The Courtauld Institute of Biochemistry, Middlesex Hospital, London, W. 1, and Dr W. J. Whelan, The Lister Institute of Preventive Medicine, Chelsea Bridge Road, London, S.W. 1, or from the Honorary Treasurer, Dr F. A. Robinson, c/o Allen and Hanburys, Ltd., Bethnal Green, London, E. 2.

Subscriptions to the *Biochemical Journal*. For non-members of The Biochemical Society the subscription to the *Biochemical Journal* is £4 per volume, payable in advance to the Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1, or to any bookseller. In the United States of America the *Journal* may be purchased from the Cambridge University Press American Branch, 32 East 57th Street, New York 22, N.Y. (subscription price $13.50 per volume).

Communications respecting the sale of single issues or back numbers of the *Journal*, Volumes 20–73, should be addressed to the Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1, from whom a list of prices is available. Volumes 1–18 have been reproduced and are available from William Dawson & Sons, Ltd., Back Issues Dept., 16 West Street, Farnham, Surrey.

Claims for the replacement of *Journals* lost in transmission will not be entertained if they are received later than three months after the date of the posting of the *Journal*.

The following are available in paper covers:

Volumes 20–28.
Volume 29 Nos. 1, 2, 4, 6, 8–11.
Volume 33 Nos. 8–12.
Volume 34 Nos. 4–12.
Volumes 35–38.
Volumes 39 Nos. 2 & 3.
Volumes 40–47.
Volumes 50–58.
Volumes 60–73.
Index to Volumes 11–20.
Index to Volumes 21–30.
Index to Volumes 31–40.
Index to Volumes 41–65.
History of The Biochemical Society.

Reduced terms for Volumes 1–18 are available to members of The Biochemical Society, who should apply to the Honorary Secretaries.

ADAMS, I
hormo
ALDRIDG
mitoch
temper
3:5-dir
ALLISON,
conten
273
ALLISON,
30P
ANDERSO
Ohta's
ARNSTEI
metabo
by the
ATFIELD,
quantit
voltage

BAGLIONI
Metabo
BALÁZS, I
of the a
fractio
BALÓ, J.
BANGA,
saccha
tendon
BARCHIE
MIGLIA
and st
guanos
BARON,
androg
genase
BATT, R
metabo
BEAUFAY
BEEVERS
BELL, S.
BENDALL
14. Th
chrond
BIRKINSH
chemis
Penicil
carlosi
BLAKLEY
binatio
glutam
BOOTH,
cyclic
into a
BORETTI,
BOSE, S.
BOYLAND
BRADLEY
human
BRAY, H
acids.
rat and
BRAY, H
butane

Index of Authors

Note. Pages in *Proceedings of The Biochemical Society* are distinguished by P.

ADAMS, D. H. The mechanism of the action of androgenic hormones on mouse-liver catalase 141, 31P

ALDRIDGE, W. N. & STONER, H. B. The behaviour of liver mitochondria isolated from rats with different body temperatures after limb ischaemia or after injection of 3:5-dinitro-*o*-cresol 148

ALLISON, A. C., CECIL, R. & SNOW, N. S. The SH-group content of human foetal and sickle-cell haemoglobins 273

ALLISON, A. C. *see also* ROWE, C. E. 26P; WEBB, J. P. W. 30P

ANDERSON, I. G. & HASLEWOOD, G. A. D. Identification of Ohta's acid ('tetrahydroxynorsterocholanic acid') 37P

ARNSTEIN, H. R. V. The effect of vitamin B_{12} on the metabolism of formate and certain formate precursors by the rat 616

ATFIELD, G. N. & MORRIS, C. J. O. R. The separation and quantitative determination of amino acids by high-voltage paper electrophoresis 37P

BAGLIONI, C., FASELLA, P., TURANO, C. & SILIPRANDI, N. Metabolism of xanthurenic acid in the rat 521

BALÁZS, R. & RICHTER, D. Observations on the mechanism of the aerobic control of glycolysis in brain mitochondrial fraction 30P

BALÓ, J. *see* BANGA, I. 388

BANGA, I. & BALÓ, J. Isolation of neutral heteropolysaccharide containing mucoprotein from bovine Achilles tendon with the aid of collagenmucoproteinase 388

BARCHIELLI, R., BORETTI, G., DI MARCO, A., JULITA, P., MIGLIACCI, A., MINGHETTI, A. & SPALLA, C. Isolation and structure of a new factor of the vitamin B_{12} group: guanosine diphosphate factor B 382

BARON, D. N., GORE, M. B. R. & WILLIAMS, D. C. An androgen-activated pyridine nucleotide transhydrogenase in prostatic tissue 20P

BATT, R. D., DICKENS, F. & WILLIAMSON, D. H. The metabolism of L-erythrulose by rat-liver slices 10P

BEAUFAY, H. *see* SELLINGER, O. Z. 450

BEEVERS, H. *see* NEAL, G. E. 409

BELL, S. E. *see* BUTTERWORTH, J. P. 180

BENDALL, D. S. & DE DUVE, C. Tissue fractionation studies. 14. The activation of latent dehydrogenases in mitochrondria from rat liver 444

BIRKINSHAW, J. H. & SAMANT, M. S. Studies in the biochemistry of micro-organisms. 107. Metabolites of *Penicillium viridicatum* Westling: viridicatic acid (ethylcarlosic acid) 369

BLAKLEY, R. L. Spectrophotometric studies on the combination of formaldehyde with tetrahydropteroylglutamic acid and other hydropteridines 71

BOOTH, J., BOYLAND, E. & SIMS, P. Metabolism of polycyclic compounds. 15. The conversion of naphthalene into a derivative of glutathione by rat-liver slices 117

BORETTI, G. *see* BARCHIELLI, R. 382

BOSE, S. K. *see* MAJUMDAR, S. K. 596

BOYLAND, E. *see* BOOTH, J. 117

BRADLEY, P. L. & GUNTHER, M. The xanthine oxidase of human milk and colostrum 15P

BRAY, H. G. & JAMES, S. P. The formation of mercapturic acids. 4. Deacetylation of mercapturic acids by the rabbit, rat and guinea pig 394

BRAY, H. G. & JAMES, S. P. The metabolism of 1-bromobutane 6P

BROWN, S. J. *see* KING, H. K. 3P

BUCHANAN, A. A. Lipid synthesis by human leucocytes *in vitro* 25P

BURGESS, E. A., KERLY, M. & RAHMAN, M. A. The effect of malonate on respiration of homogenates of ox retina 4P

BURGOS-GONZALEZ, J. & GLASCOCK, R. F. Identity of the metabolites of hexoestrol accumulated by the genital organs of sheep 33P

BURTON, K. Sequences of nucleotides in deoxyribonucleic acids 35P

BUTTERWORTH, J. P., BELL, S. E. & GARVOCK, M. G. Isolation and properties of the xylan-fermenting bacterium 11. *Appendix to*: The pentosanases of some rumen bacteria (Howard, B. H., Jones, G. & Purdom, M. R.) 180

CALDERBANK, A., KENT, P. W., LORBER, J., MANNERS, D. J. & WRIGHT, A. Biochemical investigation of a case of glycogen-storage disease (von Gierke's disease) 223

CAMERON, C. Normal and abnormal di-iodo-L-tyrosine metabolism in human subjects 323

CAMERON, C. Radioiodine compounds of human urine after ^{131}I therapy. 1. Fractionation 329

CAMERON, C. Radioiodine compounds of human urine after ^{131}I therapy. 2. Chromatographic comparison with iodine compounds of known structure 333

CAMPBELL, P. N., GREENGARD, O. & KERNOT, B. A. Studies on the synthesis of serum albumin by the isolated microsome fraction from rat liver 107

CANDY, D. J. & KILBY, B. A. Pathway of trehalose biosynthesis in the locust fat body 19P

CARLE, A. *see* HILLIS, W. E. 607

CEBRA, J. *see* PRESS, E. M. 501

CECIL, R. *see* ALLISON, A. C. 273

CHALK, K. J. I. & KODICEK, E. The association of ^{14}C-labelled vitamin D_3 with serum proteins 22P

CHATTERJEE, G. C. *see* CHATTERJEE, I. B. 193

CHATTERJEE, I. B., CHATTERJEE, G. C., GHOSH, N. C., GHOSH, J. J. & GUHA, B. C. Biological synthesis of L-ascorbic acid in animal tissues: conversion of L-gulonolactone into L-ascorbic acid 193

CLARKE, P. H. *see* KELLY, M. 21P

CLODE, M. *see* PAWAN, G. L. S. 9P

CONCHIE, J. & LEVVY, G. A. Localization of some glycosidases in the mammalian cell 12P

CONSDEN, R. & KOHN, J. Immuno-diffusion on cellulose acetate 13P

CORBETT, K. & ROWSELL, E. V. Transaminations with pyruvate in liver of different animal species 4P

COURTS, A. Structural changes in collagen: the action of alkalis and acids in the conversion of collagen into eucollagen 238

CRADDOCK, V. M. & SIMPSON, M. V. The occurrence of amino acid-activating enzymes in rat-liver mitochondria 10P

CRANE, C. W. & NEUBERGER, A. The digestion and absorption of protein by normal man 313

CRAWHALL, J. C. & WATTS, R. W. E. Acylative decarboxylation with particular reference to the acetylative decarboxylation of the 2:4-dinitrophenyl derivatives of some amino acids 514

CROOK, E. M., MATHIAS, A. P. & RABIN, B. R. Spectrophotometric assay of bovine pancreatic ribonuclease by the use of cytidine 2′:3′-phosphate 234

CROOK, E. M., MATHIAS, A. P. & RABIN, B. R. The preparation and purification of cytidine 2′:3′-phosphate 230
CURZON, G. & VALLET, L. The purification of human caeruloplasmin 279
CUSWORTH, D. C. & DENT, C. E. Renal clearances of amino acids in normal adults and in patients with aminoaciduria 550

DAGLEY, S. & SYKES, J. Bacterial ribonucleoprotein synthesized in the presence of chloramphenicol 11P
DAVENPORT, H. E. & HILL, R. A protein from leaves catalysing the reduction of haem–protein compounds by illuminated chloroplasts 493
DAVISON, A. N. Metabolism of labelled cerebral lipids in developing and mature rats after injection of [1-^{14}C]-glycerol 1P
DAVISON, A. N. *see also* SANDLER, M. 42P
DE DUVE, C. *see* BENDALL, D. S. 444; SELLINGER, O. Z. 450
DENT, C. E. *see* CUSWORTH, D. C. 550
DI MARCO, A. *see* BARCHIELLI, R. 382
DICKENS, F. *see* BATT, R. D. 10P
DICKERSON, J. W. T. & WIDDOWSON, E. M. Chemical changes in skeletal muscle during development 247
DODGSON, K. S. & TUDBALL, N. The metabolic fate of the ester sulphate group of potassium *p*-nitrophenyl [^{35}S]sulphate 154
DOYEN, A. *see* SELLINGER, O. Z. 450
DUBEY, S. S. *see* PANT, R. 491
DUTTON, R. W. The inhibition of antibody formation *in vitro* 24P

EASTOE, J. E. Semi-microanalysis of amino acid mixtures by ion-exchange chromatography 8P
EDWARDS, R. W. H. Partition chromatography of steroid esters 27P
ELLIOTT, D. F., LEWIS, G. P. & HORTON, E. W. The isolation of bradykinin: a plasma kinin from ox blood 15P
ELLIOTT, W. H. Aminoacetone formation by *Staphylococcus aureus* 478
ELLIOTT, W. H. The estimation of aminoacetone and δ-aminolaevulic acid 90

FARMER, V. C., HENDERSON, M. E. K. & RUSSELL, J. D. Aromatic-alcohol-oxidase activity in the growth medium of *Polystictus versicolor* 257
FASELLA, P. *see* BAGLIONI, C. 521
FORSYTH, W. G. C. & ROBERTS, J. B. Cacao polyphenolic substances. 5. The structure of cacao 'leucocyanidin 1' 374
FOWLER, J. F. *see* HOLNESS, N. J. 27P
FULTON, J. V. & RAMSAY, W. N. M. The distribution of radioactive iron between ferritin and haemosiderin in rat tissues 24P

GALLAGHER, C. H. The mechanism of action of hydrocortisone on mitochondrial metabolism 38
GARVOCK, M. G. *see* BUTTERWORTH, J. P. 180
GEORGE, P. *see* O'HAGAN, J. E. 424
GERSON, T., HAWKE, J. C., SHORLAND, F. B. & MELHUISH, W. H. The role of *n*-valeric acid in the synthesis of the higher saturated straight-chain acids containing an odd number of carbon atoms in bovine milk fat 366
GESSNER, P. K., PARKE, D. V. & WILLIAMS, R. T. Studies in detoxication. 80. The metabolism of glycols 1
GHOSH, J. J. *see* CHATTERJEE, I. B. 193
GHOSH, N. C. *see* CHATTERJEE, I. B. 193
GIBSON, F. & WOODS, D. D. The synthesis of methionine by suspensions of *Escherichia coli* 160
GLASCOCK, R. F. *see* BURGOS-GONZALEZ, J. 33P
GLOVER, J. *see* LAWSON, D. E. M. 38P
GOODMAN, D. S. & POPJÁK, G. Synthesis of allyl pyrophosphates from mevalonate with liver enzymes and their relation to biosynthesis of squalene 35P
GOODSALL, R. A. *see* HUNTER, G. D. 34P
GORE, M. B. R. *see* BARON, D. N. 20P
GRAY, G. M. The presence of lecithin in whole ram semen 1P
GRAY, G. M. *see also* MACFARLANE, M. G. 43P
GREENGARD, O. *see* CAMPBELL, P. N. 107
GRIFFITHS, L. A. A comparative study of the seed polyphenols of the genus *Theobroma* 362
GUHA, B. C. *see* CHATTERJEE, I. B. 193
GUNTHER, M. *see* BRADLEY, P. L. 15P
GUTFREUND, H. The reactions of reduced flavine nucleotides with oxygen 17P

HALL, A. N., LEESON, J. A., RYDON, H. N. & TWEDDLE, J. C. The degradation of some *Bz*-substituted tryptophans by *Escherichia coli* tryptophanase 209
HALLIWELL, G. A micro-determination of carbohydrates and proteins 457
HANCOCK, R. Some early biochemical changes accompanying inhibition by streptomycin of the growth of *Staphylococcus aureus* 12P
HARBORNE, J. B. Plant polyphenols. 1. Anthocyanin production in the cultivated potato 262
HARBORNE, J. B. Plant polyphenols. 2. The coumarins of *Solanum pinnatisectum* 270
HARRIS, H. The relationship between the synthesis of protein and the synthesis of ribonucleic acid in the connective-tissue cell 276
HARRIS, H., PENINGTON, D. G. & ROBSON, E. B. Electrophoresis of plasma proteins in starch gels 44P
HASLEWOOD, G. A. D. *see* ANDERSON, I. G. 37P
HAWKE, J. C. *see* GERSON, T. 366
HAWTREY, A. O. & SILK, M. H. Mitochondria of the Ehrlich ascites-tumour cell: isolation and studies of oxidative phosphorylation 21
HEDBOM, A. A native cobalamin–polypeptide complex from liver: isolation and characterization 307
HEMMING, F. W., MORTON, R. A. & PENNOCK, J. F. An unsaturated alcohol from human kidney 38P
HENDERSON, M. E. K. *see* FARMER, V. C. 257
HICKLIN, J. A. Metabolic inhibitors 40P
HILL, R. *see* DAVENPORT, H. E. 493
HILLIS, W. E. & CARLE, A. The formation of phenolic substances in *Eucalyptus gigantea* and *Eucalyptus sieberiana* 607
HOFMANN, T. Activation of trypsinogen by *Penicillium kinase* 41P
HOLNESS, N. J. & FOWLER, J. F. A simple scanning device for radioactivity on paper chromatograms 27P
HOOPER, K. C. The preparation of soluble vasopressinase from human placenta 297
HOPE, D. B. & SMITH, A. D. Distribution and activity of monoamine oxidase in mouse tissues 101
HORNER, A. A. & MORTON, R. A. Dietary cholesterol and liver vitamin A in normal and castrated male rats 301
HORTON, E. W. *see* ELLIOTT, D. F. 15P
HOWARD, B. H., JONES, G. & PURDOM, M. R. The pentosanases of some rumen bacteria 173
HUGGINS, A. K. & OTTAWAY, J. H. Separation of a peptide with insulin-like properties from preparations of ox growth hormone 23P
HUNTER, G. D. & GOODSALL, R. A. Protein synthesis in protoplasts of *Bacillus megaterium*: the passage of ^{14}C-labelled amino acids through phospholipid fractions 34P

JACOBS, R. Photography of gels from starch-gel electrophoresis 45P
JACQUES, P. *see* SELLINGER, O. Z. 450
JAMES, A. T., WEBB, J. P. W. & KELLOCK, T. D. The fatty acids of human faecal lipids 21P

JAMES, A. T. *see also* LOVELOCK, J. E. 137; WEBB, J. P. W. 30P
JAMES, S. P. *see* BRAY, H. G. 394, 6P
JANCZURA, E., PERKINS, H. R. & ROGERS, H. J. Isolation of a mucopolysaccharide from cell-wall preparations of *Bacillus subtilis* 7P
JEPSON, J. B., LOVENBERG, W., ZALTZMAN, P., OATES, J. A., SJOERDSMA, A. & UDENFRIEND, S. Amine metabolism, studied in normal and phenylketonuric humans by monoamine oxidase inhibition 5P
JOHNSON, P. & ROWE, A. J. The sedimentation of myosin 432
JONES, G. *see* HOWARD, B. H. 173
JONES, O. T. G. *see* NICHOLAS, D. J. D. 19P
JULITA, P. *see* BARCHIELLI, R. 382

KAY, W. W. & MURFITT, K. C. The determination of blood glutathione 203
KELLOCK, T. D. *see* JAMES, A. T. 21P
KELLY, M. & CLARKE, P. H. Amidase production by *Pseudomonas aeruginosa* 21P
KENT, P. W. *see* CALDERBANK, A. 223
KERLY, M. & RAHMAN, M. A. Pathways of glucose oxidation in retina 16P
KERLY, M. *see also* BURGESS, E. A. 4P
KERNOT, B. A. *see* CAMPBELL, P. N. 107
KILBY, B. A. *see* CANDY, D. J. 19P
KING, H. K. & BROWN, S. J. Variation of Michaelis constant and substrate–coenzyme affinity with pH in leucine decarboxylase of *Proteus* 3P
KING, R. J. B. Biosynthesis of 2-methoxyoestriol by rat-liver preparations 22P
KODICEK, E. *see* CHALK, K. J. I. 22P
KOHN, J. *see* CONSDEN, R. 13P
KORNER, A. The effect of hypophysectomy of the rat and of treatment with growth hormone on the incorporation *in vivo* of radioactive amino acids into the proteins of subcellular fractions of rat liver 462
KORNER, A. The effect of the administration of insulin to the hypophysectomized rat on the incorporation of amino acids into liver proteins *in vivo* and in a cell-free system 471

LAIDMAN, D. L., MORTON, R. A., PATERSON, J. Y. F. & PENNOCK, J. F. Substance SC (ubichromenol): a naturally-occurring cyclic isomeride of ubiquinone-50 541
LASH, J. W. & WHITEHOUSE, M. W. An unusual polysaccharide in chondroid tissue of the snail *Busycon*: polyglucose sulphate 351
LAWSON, D. E. M., MERCER, E. I., GLOVER, J. & MORTON, R. A. Biosynthesis of ubiquinone in the rat 38P
LEACH, A. A. A study of the protein impurities in gelatins with ion-exchange resins 61
LEACH, A. A. Notes on a modification of the Neuman & Logan method for the determination of the hydroxyproline. *Appendix to*: A study of the protein impurities in gelatins with ion-exchange resins (Leach, A. A.) 70
LEESON, J. A. *see* HALL, A. N. 209
LEVVY, G. A. *see* CONCHIE, J. 12P
LEWIS, G. P. *see* ELLIOTT, D. F. 15P
LILLEY, M. D. *see* VALLANCE-OWEN, J. 18P
LINDLEY, H. A study of the kinetics of the reaction between thiol compounds and chloroacetamide 577
LORBER, J. *see* CALDERBANK, A. 223
LOUGHLIN, R. E. & TRIKOJUS, V. M. Thyroid 'cysteinyltyrosinase' 39P
LOVELOCK, J. E., JAMES, A. T. & ROWE, C. E. The lipids of whole blood. 2. The exchange of lipids between the cellular constituents and the lipoproteins of human blood 137
LOVELOCK, J. E. *see also* ROWE, C. E. 26P
LOVENBERG, W. *see* JEPSON, J. B. 5P
LYTTLETON, J. W. Nucleoproteins of white clover 82

MACFARLANE, M. G., GRAY, G. M. & WHEELDON, L. W. Fatty acids of phospholipids from mitochondria and microsomes of rat liver 43P
MACLENNAN, A. P. Specific lipopolysaccharides of *Bordetella* 398
MACLENNAN, A. P., SMITH, D. W. & RANDALL, H. M. The occurrence of *O*-methyl ethers of rhamnose and fucose in specific glycolipids of certain mycobacteria 3P
MAGAR, N. G. *see* PATIL, V. S. 427, 441
MAIHS, E. A. *see* ROUX, D. G. 44
MAIN, A. R. The purification of the enzyme hydrolysing diethyl *p*-nitrophenyl phosphate (paraoxon) in sheep serum 10
MAJUMDAR, S. K. & BOSE, S. K. Amino acid sequence in mycobacillin 596
MANNERS, D. J. *see* CALDERBANK, A. 223
MARGOLIASH, E., NOVOGRODSKY, A. & SCHEJTER, A. Irreversible reaction of 3-amino-1:2:4-triazole and related inhibitors with the protein of catalase 339
MARGOLIASH, E. & SCHEJTER, A. Kinetics of irreversible inhibition of catalase. *Appendix to*: Irreversible reaction of 3-amino-1:2:4-triazole and related inhibitors with the protein of catalase (Margoliash, E., Novogrodsky, A. & Schejter, A.) 349
MARPLES, E. A. & THOMPSON, R. H. S. The distribution of phospholipase B in mammalian tissues 123
MARRIAN, G. F. & SNEDDON, A. The partial synthesis of 6-oxo-oestriol and 6'α'-hydroxyoestriol 430
MASSEY, V. & PALMER, G. Isolation of crystalline D-amino acid oxidase free from iron 40P
MATHIAS, A. P. *see* CROOK, E. M. 230, 234
MELHUISH, W. H. *see* GERSON, T. 366
MERCER, E. I. *see* LAWSON, D. E. M. 38P
MIGLIACCI, A. *see* BARCHIELLI, R. 382
MINGHETTI, A. *see* BARCHIELLI, R. 382
MORGAN, W. T. J. *see* PUSZTAI, A. 31P
MORRIS, C. J. O. R. *see* ATFIELD, G. N. 37P
MORTON, R. A. *see* HEMMING, F. W. 38P; HORNER, A. A. 301; LAIDMAN, D. L. 541; LAWSON, D. E. M. 38P
MOSES, V. & SMITH, M. J. H. [^{14}C]Glucose metabolism in baker's yeast and the effects of 2:4-dinitrophenol and sodium salicylate 18P
MOSES, V. *see also* SMITH, M. J. H. 17P
MURFITT, K. C. *see* KAY, W. W. 203

NEAL, G. E. & BEEVERS, H. Pyruvate utilization in castor-bean endosperm and other tissues 409
NEIL, M. W. Occurrence of phosphorylcholine and phosphorylethanolamine in goat placenta 32P
NEUBERGER, A. *see* CRANE, C. W. 313
NEWMAN, P. M. & TURNBULL, J. H. A new colorimetric method for the estimation of histidine and histamine 379
NEWTON, A. A. & PERRY, S. V. The incorporation of ^{15}N into adenine nucleotides and their formation from inosine monophosphate by skeletal-muscle preparations 127
NICHOLAS, D. J. D. & JONES, O. T. G. The oxidation of hydroxylamine in cell-free extracts of *Nitrosomonas europaea* 19P
NOVOGRODSKY, A. *see* MARGOLIASH, E. 339
NUNN, R. F. *see* RILEY, C. 56

OATES, J. A. *see* JEPSON, J. B. 5P
OGSTON, A. G. Examination in the ultracentrifuge. *Addendum to*: Biochemical investigation of a case of glycogen-storage disease (von Gierke's disease) (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 229

O'Hagan, J. E. The haem–globin linkage. 1. Artificial haemoglobins from haematins lacking free carboxyl groups 417
O'Hagan, J. E. & George, P. The haem–globin linkage. 2. Artificial myoglobins from haematins lacking free carboxyl groups 424
Ottaway, J. H. *see* Huggins, A. K. 23P

Palmer, G. *see* Massey, V. 40P
Pant, R. & Dubey, S. S. The preparation of 2-guanidinoethyl phosphate 491
Parke, D. V. & Williams, R. T. Studies in detoxication. 81. The metabolism of halogenobenzenes: (*a*) penta- and hexa-chlorobenzenes; (*b*) further observations on 1:3:5-trichlorobenzene 5
Parke, D. V. *see also* Gessner, P. K. 1
Parr, C. W. & Whittaker, M. Some observations on phosphotriose isomerase 34P
Partridge, S. M. *see* Thomas, J. 600
Paterson, J. Y. F. *see* Laidman, D. L. 541
Patil, V. S. & Magar, N. G. Effect of dietary fat and cholesterol on the polyunsaturated fatty acids of cholesterol esters, phospholipids and triglycerides in the liver of the rat 441
Patil, V. S. & Magar, N. G. Fatty acids of human blood 427
Pawan, G. L. S. Further observations on a fat-mobilizing substance extractable from human urine 29P
Pawan, G. L. S. & Clode, M. The gross chemical composition of subcutaneous adipose tissue in the lean and obese human subject 9P
Peel, J. L. The breakdown of pyruvate by cell-free extracts of the rumen micro-organism LC 525
Penington, D. G. *see* Harris, H. 44P
Pennock, J. F. *see* Hemming, F. W. 38P; Laidman, D. L. 541
Perkins, H. R. Substances reacting as hexosamine and as *N*-acetylhexosamine liberated from bacterial cell walls by lysozyme 186
Perkins, H. R. The structure of a disaccharide liberated by lysozyme from the cell walls of *Micrococcus lysodeikticus* 182
Perkins, H. R. *see also* Janczura, E. 7P; Rogers, H. J. 6P
Perry, S. V. The chromatography of L-myosin on diethylaminoethylcellulose 94
Perry, S. V. *see also* Newton, A. A. 127
Planterose, D. N. *see* Slater, T. F. 584, 591
Popják, G. *see* Goodman, D. S. 35P
Porter, R. R. *see* Press, E. M. 501
Press, E. M., Porter, R. R. & Cebra, J. The isolation and properties of a proteolytic enzyme, cathepsin D, from bovine spleen 501
Pridham, J. B. & Saltmarsh, M. J. The formation of phenolic glycosides by germinating broad-bean (*Vicia faba*) seeds 42P
Purdom, M. R. *see* Howard, B. H. 173
Pusztai, A. & Morgan, W. T. J. A blood-group-specific sialomucopolysaccharide possessing virus-receptor activity 31P

Rabin, B. R. *see* Crook, E. M. 230, 234
Rahman, M. A. *see* Burgess, E. A. 4P; Kerly, M. 16P
Rajagopalan, K. V., Sundaram, T. K. & Sarma, P. S. Metabolism of nicotinamide and nicotinic acid in *Corcyra cephalonica* St. 355
Ramaiah, A. *see* Sivarama Sastry, K. 561
Ramsay, W. N. M. *see* Fulton, J. V. 24P
Randall, H. M. *see* MacLennan, A. P. 3P
Richmond, M. H. Incorporation of *p*-fluorophenylalanine into exopenicillinase of *Bacillus cereus* 569/H 8P
Richter, D. *see* Balázs, R. 30P
Rienits, K. G. The acid mucopolysaccharides of the sexual skin of apes and monkeys 27
Riley, C. & Nunn, R. F. The cholesterol esters circulating in human blood in health 56
Roberts, J. B. *see* Forsyth, W. G. C. 374
Robinson, D. S. The lipolytic activity of adipose tissue 25P
Robson, E. B. *see* Harris, H. 44P
Rogers, H. J. & Perkins, H. R. The effect of 5-fluorouracil and other pyrimidine and purine analogues on cell-wall synthesis and the accumulation of amino sugar in *Staphylococcus aureus* 6P
Rogers, H. J. *see also* Janczura, E. 7P
Roux, D. G. & Maihs, E. A. Condensed tannins. 3. Isolation and estimation of (−)-7:3′:4′:5′-tetrahydroxyflavan-3-ol, (+)-catechin and (+)-gallocatechin from black-wattle-bark extract 44
Rowe, A. J. *see* Johnson, P. 432
Rowe, C. E., Allison, A. C. & Lovelock, J. E. Lipid biosynthesis in human blood: the incorporation of acetate into lipids of different types of human-blood cell 26P
Rowe, C. E. *see also* Lovelock, J. E. 137
Rowsell, E. V. *see* Corbett, K. 4P
Roy, A. B. The enzymic synthesis of aryl sulphamates 49
Russell, J. D. *see* Farmer, V. C. 257
Ruthven, C. R. J. *see* Sandler, M. 42P
Rydon, H. N. *see* Hall, A. N. 209

Saltmarsh, M. J. *see* Pridham, J. B. 42P
Samant, M. S. *see* Birkinshaw, J. H. 369
Sandler, M., Spector, R. G., Ruthven, C. R. J. & Davison, A. N. The occurrence and adaptive increase of 5-hydroxytryptophan–α-oxoglutarate transaminase in rat liver 42P
Sarma, P. S. *see* Rajagopalan, K. V. 355; Sivarama Sastry, K. 561
Schejter, A. *see* Margoliash, E. 339, 349
Schwarz, V. *see* Varma, S. N. 43P
Sellinger, O. Z., Beaufay, H., Jacques, P., Doyen, A. & de Duve, C. Tissue fractionation studies. 15. Intracellular distribution and properties of β-*N*-acetylglucosaminidase and β-galactosidase in rat liver 450
SentheShanmuganathan, S. The mechanism of the formation of higher alcohols from amino acids by *Saccharomyces cerevisiae* 568
Shorland, F. B. *see* Gerson, T. 366
Siliprandi, N. *see* Baglioni, C. 521
Silk, M. H. *see* Hawtrey, A. O. 21
Simpson, M. V. *see* Craddock, V. M. 10P
Sims, P. *see* Booth, J. 117
Sivarama Sastry, K., Viswanathan, L., Ramaiah, A. & Sarma, P. S. Studies on the binding of ^{65}Zn by equine erythocytes *in vitro* 561
Sjoerdsma, A. *see* Jepson, J. B. 5P
Slater, T. F. & Planterose, D. N. An assay procedure for a succinate–neotetrazolium-reductase system 591
Slater, T. F. & Planterose, D. N. Studies on the particulate components of rat mammary gland. 5. Comparison of large particles from liver and mammary gland 584
Smith, A. D. *see* Hope, D. B. 101
Smith, D. W. *see* MacLennan, A. P. 3P
Smith, M. J. H. & Moses, V. Effects of salicylate and 2:4-dinitrophenol on the metabolism of [^{14}C]glucose and [2-^{14}C]acetate in isolated rat tissues 17P
Smith, M. J. H. *see also* Moses, V. 18P
Sneddon, A. *see* Marrian, G. F. 430
Snow, N. S. *see* Allison, A. C. 273
Spalla, C. *see* Barchielli, R. 382
Spector, R. G. *see* Sandler, M. 42P
Stickings, C. E. & Townsend, R. J. The biosynthesis of tenuazonic acid 36P
Stoner, H. B. *see* Aldridge, W. N. 148

SUNDARAM, T. K. *see* RAJAGOPALAN, K. V. 355
SUZUKI, I. & WEBKMAN, C. H. Glutathione reductase of *Thiobacillus thio-oxidans* 359
SYKES, J. *see* DAGLEY, S. 11P

TAYLOR, W. H. The proteinase activity of gastric mucosal extracts from patients with carcinoma of the stomach 29P
THOMAS, J. & PARTRIDGE, S. M. The chemistry of connective tissues. 5. The elastase activity of proteolytic enzymes 600
THOMPSON, R. H. S. *see* MARPLES, E. A. 123
TOWNSEND, R. J. *see* STICKINGS, C. E. 36P
TRIKOJUS, V. M. *see* LOUGHLIN, R. E. 39P
TUDBALL, N. *see* DODGSON, K. S. 154
TURANO, C. *see* BAGLIONI, C. 521
TURNBULL, J. H. *see* NEWMAN, P. M. 379
TURNER, D. H. & TURNER, J. F. The hydrolysis of glucose monophosphates by a phosphatase preparation from pea seeds 486
TURNER, J. F. *see* TURNER, D. H. 486
TWEDDLE, J. C. *see* HALL, A. N. 209
TYLER, H. M. & WATKINS, W. M. Stepwise degradation of blood-group H mucopolysaccharide by an enzyme preparation from *Trichomonas foetus* 2P

UDENFRIEND, S. *see* JEPSON, J. B. 5P

VALLANCE-OWEN, J. & LILLEY, M. D. An insulin antagonist associated with human albumin 18P
VALLET, L. *see* CURZON, G. 279
VARMA, S. N. & SCHWARZ, V. Does dietary galactose play a part in the synthesis of brain lipids of the new-born? 43P
VISWANATHAN, L. *see* SIVARAMA SASTRY, K. 561

WALKER, D. A. Physiological studies on acid metabolism. 7. Malic enzyme from *Kalanchoë crenata*: effects of carbon dioxide concentration 216
WALKER, D. G. The transmission of sugars across the goat placenta 287
WATKINS, W. M. *see* TYLER, H. M. 2P
WATTS, R. W. E. *see* CRAWHALL, J. C. 514
WEBB, J. P. W., ALLISON, A. C. & JAMES, A. T. Lipid synthesis in fowl blood 30P
WEBB, J. P. W. *see also* JAMES, A. T. 21P
WERKMAN, C. H. *see* SUZUKI, I. 359
WHEELDON, L. W. *see* MACFARLANE, M. G. 43P
WHITEHOUSE, M. W. *see* LASH, J. W. 351
WHITTAKER, M. *see* PARR, C. W. 34P
WIDDOWSON, E. M. *see* DICKERSON, J. W. T. 247
WILLIAMS, A. P. The chemical composition of snail gelatin 304
WILLIAMS, D. C. *see* BARON, D. N. 20P
WILLIAMS, R. T. *see* GESSNER, P. K. 1; PARKE, D. V. 5
WILLIAMSON, D. H. *see* BATT, R. D. 10P
WOODS, D. D. *see* GIBSON, F. 160
WRIGHT, A. *see* CALDERBANK, A. 223

ZALTZMAN, P. *see* JEPSON, J. B. 5P

Index of Subjects

Note. Pages in *Proceedings of The Biochemical Society* are distinguished by P.

Acacia mollissima see Black-wattle bark
Acetate, incorporation of, into lipids by different types of human-blood cell (Rowe, C. E., Allison, A. C. & Lovelock, J. E.) 26P
[2-^{14}C]Acetate, effects of salicylate and 2:4-dinitrophenol on the metabolism of, in isolated rat tissues (Smith, M. J. H. & Moses, V.) 17P
β-*N*-Acetylglucosaminidase, intracellular distribution and properties of, in rat liver (Sellinger, O. Z., Beaufay, H., Jacques, P., Doyen, A. & de Duve, C.) 450
N-Acetylhexosamine, substances reacting as, liberated from bacterial cell walls by lysozyme (Perkins, H. R.) 186
Adenine nucleotides, formation of, from inosine monophosphate by skeletal-muscle preparations (Newton, A. A. & Perry, S. V.) 127
Adenine nucleotides, incorporation of ^{15}N into, and their formation from inosine monophosphate by skeletal-muscle preparations (Newton, A. A. & Perry, S. V.) 127
5′-Adenylic deaminase, separation of, from L-myosin (Perry, S. V.) 94
Adipose tissue, lipolytic activity of (Robinson, D. S.) 25P
Adipose tissue, subcutaneous, gross chemical composition of, in lean and obese human subjects (Pawan, G. L. S. & Clode, M.) 9P
Albumin, human, insulin antagonist associated with (Vallance-Owen, J. & Lilley, M. D.) 18P
Albumin, serum, synthesis of, by isolated microsome fraction from rat liver (Campbell, P. N., Greengard, O. & Kernot, B. A.) 107
Alcohol, unsaturated, from human kidney (Hemming, F. W., Morton, R. A. & Pennock, J. F.) 38P
Alcohols, higher, mechanism of the formation of, from amino acids by *Saccharomyces cerevisiae* (Sentheshanmuganathan, S.) 568
Allyl pyrophosphates, synthesis of, from mevalonate with liver enzymes (Goodman, D. S. & Popják, G.) 35P
Amidase production by *Pseudomonas aeruginosa* (Kelly, M. & Clarke, P. H.) 21P
Amines, metabolism of, studied in normal and phenylketonuric humans by monoamine-oxidase inhibition (Jepson, J. B., Lovenberg, W., Zaltzman, P., Oates, J. A., Sjoerdsma, A. & Udenfriend, S.) 5P
Amino acid sequence in mycobacillin (Majumdar, S. K. & Bose, S. K.) 596
D-Amino acid oxidase, crystalline, isolation of (Massey, V. & Palmer, G.) 40P
Amino acid-activating enzymes, occurrence of, in rat-liver mitochondria (Craddock, V. M. & Simpson, M. V.) 10P
Amino acids, acetylative decarboxylation of 2:4-dinitrophenyl derivatives of (Crawhall, J. C. & Watts, R. W. E.) 514
Amino acids, effect of insulin in hypophysectomized rat on incorporation of, into liver proteins (Korner, A.) 471
Amino acids, mechanism of the formation of higher alcohols from, by *Saccharomyces cerevisiae* (SentheShanmuganathan, S.) 568
Amino acids, radioactive, effect of hypophysectomy of rat and of treatment with growth hormone on incorporation *in vivo* of, into proteins of subcellular fractions of rat liver (Korner, A.) 462
Amino acids, renal clearances of, in normal adults and in patients with aminoaciduria (Cusworth, D. C. & Dent, C. E.) 550
Amino acids, semi-microanalysis of mixtures of, by ion-exchange chromatography (Eastoe, J. E.) 8P
Amino acids, separation and quantitative determination of, by high-voltage paper electrophoresis (Atfield, G. N. & Morris, C. J. O. R.) 37P
Amino sugar in *Staphylococcus aureus*, effect of 5-fluorouracil and other pyrimidine and purine analogues on accumulation of (Rogers, H. J. & Perkins, H. R.) 6P
Aminoacetone, estimation of δ-aminolaevulic acid and (Elliott, W. H.) 90
Aminoacetone formation by *Staphylococcus aureus* (Elliott, W. H.) 478
Aminoaciduria, renal clearances of amino acids in normal adults and in patients with (Cusworth, D. C. & Dent, C. E.) 550
δ-Aminolaevulic acid, estimation of aminoacetone and (Elliott, W. H.) 90
3-Amino-1:2:4-triazole, irreversible reaction of, with the protein of catalase (Margoliash, E., Novogrodsky, A. & Schejter, A.) 339
Androgenic hormones, mechanism of action of, on mouse-liver catalase (Adams, D. H.) 141, 31P
Anthocyanin production in cultivated potato (Harborne, J. B.) 262
Antibody formation *in vitro*, inhibition of (Dutton, R. W.) 24P
Argininosuccinic aciduria, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Aromatic-alcohol-oxidase activity in the growth medium of *Polystictus versicolor* (Farmer, V. C., Henderson, M. E. K. & Russell, J. D.) 257
Aryl sulphamates, enzymic synthesis of (Roy, A. B.) 49
Ascites-tumour cell, Ehrlich, oxidative phosphorylation in mitochondria of (Hawtrey, A. O. & Silk, M. H.) 21
L-Ascorbic acid, conversion of L-gulonolactone into (Chatterjee, I. B., Chatterjee, G. C., Ghosh, N. C., Ghosh, J. J. & Guha, B. C.) 193
8-Azaguanine, effect of, on synthesis of ribonucleic acid and protein (Harris, H.) 276

Bacillus cereus 569/H, incorporation of *p*-fluorophenylalanine into exopenicillinase of (Richmond, M. H.) 8P
Bacillus megaterium, protein synthesis in protoplasts of (Hunter, G. D. & Goodsall, R. A.) 34P
Bacillus subtilis, isolation of a mucopolysaccharide from cell-wall preparations of (Janczura, E., Perkins, H. R. & Rogers, H. J.) 7P
Black-wattle bark, isolation and estimation of (−)-7:3′:4′:5′-tetrahydroxyflavan-3-ol, (+)-catechin and (+)-gallocatechin from (Roux, D. G. & Maihs, E. A.) 44
Blood cell, human, incorporation of acetate into lipids by different types of (Rowe, C. E., Allison, C. A. & Lovelock, J. E.) 26P
Blood, determination of glutathione in (Kay, W. W. & Murfitt, K. C.) 203
Blood, fowl, lipid synthesis in (Webb, J. P. W., Allison, A. C. & James, A. T.) 30P
Blood, human, cholesterol esters of, in health (Riley, C. & Nunn, R. F.) 56
Blood, human, exchange of lipids between the cellular constituents and lipoproteins of (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Blood, human, fatty acids of (Patil, V. S. & Magar, N. G.) 427

Blood, ox, isolation of bradykinin from (Elliott, D. F., Lewis, G. P. & Horton, E. W.) 15P
Blood-group H mucopolysaccharide, stepwise degradation of, by an enzyme preparation from *Trichomonas foetus* (Tyler, H. M. & Watkins, W. M.) 2P
Blood-group-specific sialomucopolysaccharide possessing virus-receptor activity (Pusztai, A. & Morgan, W. T. J.) 31P
Bordetella spp., specific lipopolysaccharides of (MacLennan, A. P.) 398
Bradykinin, isolation of, from ox blood (Elliott, D. F., Lewis, G. P. & Horton, E. W.) 15P
Brain lipids of the new-born, dietary galactose and synthesis of (Varma, S. N. & Schwarz, V.) 43P
Brain, mechanism of aerobic control of glycolysis in mitochondrial fraction of (Balázs, R. & Richter, D.) 30P
Broad-bean (*Vicia faba*) seeds, germinating, formation of phenolic glycosides by (Pridham, J. B. & Saltmarsh, M. J.) 42P
1-Bromobutane, metabolism of (Bray, H. G. & James, S. P.) 6P
Busycon caniculatum, presence of polyglucose sulphate in chondroid tissue of (Lash, J. W. & Whitehouse, M. W.) 351

Cacao 'leucocyanidin 1', structure of (Forsyth, W. G. C. & Roberts, J. B.) 374
Caeruloplasmin, human, purification of (Curzon, G. & Vallet, L.) 279
Carbohydrates, micro-determination of (Halliwell, G.) 457
Carbon dioxide concentration, effects of, on activity of malic enzyme from *Kalanchoë crenata* (Walker, D. A.) 216
Carcinoma of the stomach, proteinase activity of gastric mucosal extracts from patients with (Taylor, W. H.) 29P
Castor-bean endosperm, pyruvate utilization in (Neal, G. E. & Beevers, H.) 409
Castration, effect of dietary cholesterol on liver vitamin A in male rats after (Horton, A. A. & Morton, R. A.) 301
Catalase, irreversible reaction of 3-amino-1:2:4-triazole with the protein of (Margoliash, E., Novogrodsky, A. & Schejter, A.) 339
Catalase, kinetics of irreversible inhibition of (Margoliash, E. & Schejter, A.) 349
Catalase, mouse-liver, mechanism of action of androgenic hormones on (Adams, D. H.) 141, 31P
(+)-Catechin in black-wattle bark (Roux, D. G. & Maihs, E. A.) 44
Cathepsin D, isolation and properties of, from bovine spleen (Press, E. M., Porter, R. R. & Cebra, J.) 501
Cell wall, effect of 5-fluorouracil and other pyrimidine and purine analogues on synthesis of, in *Staphylococcus aureus* (Rogers, H. J. & Perkins, H. R.) 6P
Cell wall of *Bacillus subtilis*, isolation of mucopolysaccharide from preparations of (Janczura, E., Perkins, H. R. & Rogers, H. J.) 7P
Cell walls, bacterial, substances reacting as hexosamine and as *N*-acetylhexosamine liberated from, by lysozyme (Perkins, H. R.) 186
Cell walls of *Micrococcus lysodeikticus*, structure of a disaccharide liberated by lysozyme from (Perkins, H. R.) 182
Cellulose acetate, immuno-diffusion on (Consden, R. & Kohn, J.) 13P
Cellulose, estimation of, during cellulolysis (Halliwell, G.) 457
Cerebrum, metabolism of labelled lipids of, after injection of [1-^{14}C]glycerol (Davison, A. N.) 1P
Chloramphenicol, bacterial ribonucleoprotein synthesized in the presence of (Dagley, S. & Sykes, J.) 11P
Chloroacetamide, kinetics of the reaction between thiol compounds and (Lindley, H.) 577
Chloroplasts, illuminated, protein from leaves catalysing the reduction of haem–protein compounds by (Davenport, H. E. & Hill, R.) 493
Cholesterol, dietary, and liver vitamin A in normal and castrated male rats (Horner, A. A. & Morton, R. A.) 301
Cholesterol, effect of, on polyunsaturated fatty acids of cholesterol esters, phospholipids and triglycerides in rat liver (Patil, V. S. & Magar, N. G.) 441
Cholesterol esters circulating in human blood in health (Riley, C. & Nunn, R. F.) 56
Cholesterol esters, effect of dietary fat and cholesterol on polyunsaturated fatty acids of, in rat liver (Patil, V. S. & Magar, N. G.) 441
Chondroid tissue of the snail *Busycon*, polyglucose sulphate in (Lash, J. W. & Whitehouse, M. W.) 351
Chromatography, paper, simple scanning device for radioactivity in (Holness, N. J. & Fowler, J. F.) 27P
Cichoriin in flowers of *Solanum pinnatisectum* (Harborne, J. B.) 270
Cobalamin–polypeptide complex, native, isolation and characterization of, from liver (Hedbom, A.) 307
Collagen, action of alkalis and acids in the conversion of, into eucollagen (Courts, A.) 238
Collagenmucoproteinase, isolation of neutral heteropolysaccharide containing mucoprotein from bovine Achilles tendon with the aid of (Banga, I. & Baló, J.) 388
Colostrum, xanthine oxidase of (Bradley, P. L. & Gunther, M.) 15P
Connective-tissue cell, relationship between the synthesis of protein and the synthesis of ribonucleic acid in (Harris, H.) 276
Corcyra cephalonica St., metabolism of nicotinamide and nicotinic acid in (Rajagopalan, K. V., Sundaram, T. K. & Sarma, P. S.) 355
Coumarins of *Solanum pinnatisectum* (Harborne, J. B.) 270
'Cysteinyltyrosinase' of thyroid (Loughlin, R. E. & Trikojus, V. M.) 39P
Cystinosis, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Cytidine 2′:3′-phosphate, preparation and purification of (Crook, E. M., Mathias, A. P. & Rabin, B. R.) 230
Cytidine 2′:3′-phosphate, spectrophotometric assay of bovine pancreatic ribonuclease by the use of (Crook, E. M., Mathias, A. P. & Rabin, B. R.) 234

Decarboxylation, acetylative, of the 2:4-dinitrophenyl derivatives of some amino acids (Crawhall, J. C. & Watts, R. W. E.) 514
Dehydrogenases, latent, activation of, in mitochondria from rat liver (Bendall, D. S. & de Duve, C.) 444
Deoxyribonucleic acids, sequences of nucleotides in (Burton, K.) 35P
Diethyl *p*-nitrophenyl phosphate (paraoxon), purification of enzyme hydrolysing, in sheep serum (Main, A. R.) 10
Diethylaminoethylcellulose, chromatography of L-myosin on (Perry, S. V.) 94
S-(1:2-Dihydro-2-hydroxy-1-naphthyl)glutathione, conversion of, into *S*-(1:2-dihydro-2-hydroxy-1-naphthyl)-cysteine by rat-kidney homogenates (Booth, J., Boyland, E. & Sims, P.) 117
S-(1:2-Dihydro-2-hydroxy-1-naphthyl)glutathione, formation of, from naphthalene in rat-liver slices (Booth, J., Boyland, E. & Sims, P.) 117
3:5-Di-iodo-4-hydroxyphenyl-lactic acid, glucuronide of, in urine after ^{131}I therapy (Cameron, C.) 333
[^{131}I]3:3-Di-iodothyronine, presence of, in human urine after ^{131}I therapy (Cameron, C.) 333
Di-iodo-L-tyrosine, normal and abnormal metabolism of, in human subjects (Cameron, C.) 323
3:5-Dinitro-*o*-cresol, behaviour of liver mitochondria isolated from rats with different body temperatures after injection of (Aldridge, W. N. & Stoner, H. B.) 148

2:4-Dinitrophenol, effects of, on [^{14}C]glucose metabolism in baker's yeast (Moses, V. & Smith, M. J. H.) 18P
2:4-Dinitrophenol, effects of, on the metabolism of [^{14}C]-glucose and [2-^{14}C]acetate in isolated rat tissues (Smith, M. J. H. & Moses, V.) 17P
2:4-Dinitrophenyl derivatives of some amino acids, acetylative decarboxylation of (Crawhall, J. C. & Watts, R. W. E.) 514
Disaccharide, structure of, liberated by lysozyme from cell walls of *Micrococcus lysodeikticus* (Perkins, H. R.) 182

Ehrlich ascites-tumour cell, oxidative phosphorylation in mitochondria of (Hawtrey, A. O. & Silk, M. H.) 21
Elastase activity of proteolytic enzymes (Thomas, J. & Partridge, S. M.) 600
Endosperm, castor-bean, pyruvate utilization in (Neal, G. E. & Beevers, H.) 409
Erythrocytes, equine, studies on the binding of zinc isotope by, *in vitro* (Sivarama Sastry, K., Viswanathan, L., Ramaiah, A. & Sarma, P. S.) 561
L-Erythrulose, metabolism of, by rat-liver slices (Batt, R. D., Dickens, F. & Williamson, D. H.) 10P
Escherichia coli, synthesis of methionine by suspensions of (Gibson, F. & Woods, D. D.) 160
Escherichia coli tryptophanase, degradation of *Bz*-substituted tryptophans by (Hall, A. N., Leeson, J. A., Rydon, H. N. & Tweddle, J. C.) 209
Esculin in flowers of *Solanum pinnatisectum* (Harborne, J. B.) 270
Ester sulphate group, metabolic fate of, of potassium *p*-nitrophenyl [^{35}S]sulphate (Dodgson, K. S. & Tudball, N.) 154
Ethylcarlosic acid (viridicatic acid), formation of, by *Penicillium viridicatum* (Birkinshaw, J. H. & Samant, M. S.) 369
Eucalyptus gigantea, formation of phenolic substances in (Hillis, W. E. & Carle, A.) 607
Eucalyptus sieberiana, formation of phenolic substances in (Hillis, W. E. & Carle, A.) 607
Eucollagen, action of alkalis and acids in the conversion of collagen into (Courts, A.) 238
Exopenicillinase, incorporation of *p*-fluorophenylalanine into, of *Bacillus cereus* 569/H (Richmond, M. H.) 8P

Fanconi syndrome, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Fat, dietary, effect of, on polyunsaturated fatty acids of cholesterol esters, phospholipids and triglycerides in rat liver (Patil, V. S. & Magar, N. G.) 441
Fat, neutral, exchange of, between blood cells and plasma (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Fat, neutral, formation of, by red blood cells (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Fat-mobilizing substance extractable from human urine, further observations on (Pawan, G. L. S.) 29P
Fatty acids in human-blood cholesterol esters (Riley, C. & Nunn, R. F.) 56
Fatty acids of bovine milk fat, role of *n*-valeric acid in synthesis of (Gerson, T., Hawke, J. C., Shorland, F. B. & Melhuish, W. H.) 366
Fatty acids of cholesterol esters, polyunsaturated, effect of dietary fat and cholesterol on, in rat liver (Patil, V. S. & Magar, N. G.) 441
Fatty acids of human blood (Patil, V. S. & Magar, N. G.) 427
Fatty acids of human faecal lipids (James, A. T., Webb, J. P. W. & Kellock, T. D.) 21P
Fatty acids of phospholipids from mitochondria and microsomes of rat liver (Macfarlane, M. G., Gray, G. M. & Wheeldon, L. W.) 43P
Flavine nucleotides, reduced, reactions of, with oxygen (Gutfreund, H.) 17P
p-Fluorophenylalanine, incorporation of, into exopenicillinase of *Bacillus cereus* 569/H (Richmond, M. H.) 8P
5-Fluorouracil, effect of, on cell-wall synthesis in *Staphylococcus aureus* (Rogers, H. J. & Perkins, H. R.) 6P
Foetal haemoglobin, human, SH-group content of (Allison A. C., Cecil, R. & Snow, N. S.) 273
Formaldehyde, spectrophotometric studies on combination of, with tetrahydropteroylglutamic acid and other hydropteridines (Blakley, R. L.) 71
Formate, effect of vitamin B_{12} on the metabolism of (Arnstein, H. R. V.) 616
Fucose, occurrence of *O*-methyl ethers of, in specific glycolipids of certain mycobacteria (MacLennan, A. P., Smith, D. W. & Randall, H. M.) 3P

Galactose, dietary, and synthesis of brain lipids of the newborn (Varma, S. N. & Schwarz, V.) 43P
β-Galactosidase, intracellular distribution and properties of, in rat liver (Sellinger, O. Z., Beaufay, H., Jacques, P., Doyen, A. & de Duve, C.) 450
(+)-Gallocatechin in black-wattle bark (Roux, D. G. & Maihs, E. A.) 44
Gastric mucosal extracts, proteinase activity of, from patients with carcinoma of the stomach (Taylor, W. H.) 29P
Gelatin, snail, chemical composition of (Williams, A. P.) 304
Gelatins, study of protein impurities in, with ion-exchange resins (Leach, A. A.) 61
Genital organs of sheep, identity of metabolites of hexoestrol accumulated by (Burgos-Gonzalez, J. & Glascock, R. F.) 33P
[^{14}C]Glucose, effects of salicylate and 2:4-dinitrophenol on the metabolism of, in isolated rat tissues (Smith, M. J. H. & Moses, V.) 17P
[^{14}C]Glucose metabolism in baker's yeast, effects of 2:4-dinitrophenol and sodium salicylate on (Moses, V. & Smith, M. J. H.) 18P
Glucose monophosphates, hydrolysis of, by a phosphatase preparation from pea seeds (Turner, D. H. & Turner, J. F.) 486
Glucose oxidation, pathways of, in retina (Kerly, M. & Rahman, M. A.) 16P
Glucose 6-phosphatase in liver (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 223
Glucose 6-phosphate dehydrogenase in liver (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 223
Glutamic dehydrogenase in mitochondria of rat liver, activation of (Bendall, D. S. & de Duve, C.) 444
Glutathione, conversion of naphthalene into a derivative of, by rat-liver slices (Booth, J., Boyland, E. & Sims, P.) 117
Glutathione, determination of, in blood (Kay, W. W. & Murfitt, K. C.) 203
Glutathione reductase of *Thiobacillus thio-oxidans* (Suzuki, I. & Werkman, C. H.) 359
[1-^{14}C]Glycerol, metabolism of labelled cerebral lipids in developing and mature rats after injection of (Davison, A. N.) 1P
Glycine, conversion of, into aminoacetone by *Staphylococcus aureus* (Elliott, W. H.) 478
Glycogen, kidney and liver, examination of, in ultracentrifuge (Ogston, A. G.) 229
Glycogen-storage disease (von Gierke's disease), biochemical investigation of a patient with (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 223
Glycols, metabolism of, in rabbit (Gessner, P. K., Parke, D. V. & Williams, R. T.) 1
Glycolysis, mechanism of aerobic control of, in brain mitochondrial fraction (Balázs, R. & Richter, D.) 30P
Glycosidases, localization of, in mammalian cell (Conchie, J. & Levvy, G. A.) 12P

Growth hormone, effect of treatment with, on incorporation *in vivo* of radioactive amino acids into proteins of subcellular fractions of rat liver (Korner, A.) 462
Growth hormone, ox, separation of a peptide with insulin-like properties from preparations of (Huggins, A. K. & Ottaway, J. H.) 23P
2-Guanidinoethyl phosphate, preparation of (Pant, R. & Dubey, S. S.) 491
Guanosine diphosphate factor B of the vitamin B_{12} group, isolation and structure of (Barchielli, R., Boretti, G., di Marco, A., Julita, P., Migliacci, A., Minghetti, A. & Spalla, C.) 382
L-Gulonolactone, conversion of, into L-ascorbic acid (Chatterjee, I. B., Chatterjee, G. C., Ghosh, N. C., Ghosh, J. J. & Guha, B. C.) 193

Haematins lacking free carboxyl groups, artificial haemoglobins from (O'Hagan, J. E.) 417
Haematins lacking free carboxyl groups, artificial myoglobins from (O'Hagan, J. E. & George, P.) 424
Haemoglobins, artificial, from haematins lacking free carboxyl groups (O'Hagan, J. E.) 417
Haemoglobins, foetal and sickle-cell, human, SH-group content of (Allison, A. C., Cecil, R. & Snow, N. S.) 273
Haem–protein compounds, protein from leaves catalysing the reduction of, by illuminated chloroplasts (Davenport, H. E. & Hill, R.) 493
Helix aspersa, chemical composition of gelatin of (Williams, A. P.) 304
Heteropolysaccharide, neutral, isolation of, from bovine Achilles tendon with the aid of collagenmucoproteinase (Banga, I. & Baló, J.) 388
Hexachlorobenzene, metabolism of, in rabbit (Parke, D. V. & Williams, R. T.) 5
Hexoestrol, identity of metabolites of, accumulated by genital organs of sheep (Burgos-Gonzalez, J. & Glascock, R. F.) 33P
Hexosamine, substances reacting as, liberated from bacterial cell walls by lysozyme (Perkins, H. R.) 186
Histamine, a new colorimetric method for the estimation of (Newman, P. M. & Turnbull, J. H.) 379
Histidine, a new colorimetric method for the estimation of (Newman, P. M. & Turnbull, J. H.) 379
Histidine, effect of vitamin B_{12} on metabolism of (Arnstein, H. R. V.) 616
Hydrocortisone, mechanism of action of, on mitochondrial metabolism (Gallagher, C. H.) 38
β-Hydroxybutyrate in mitochondria of rat liver, activation of (Bendall, D. S. & de Duve, C.) 444
Hydroxylamine, oxidation of, in cell-free extracts of *Nitrosomonas europaea* (Nicholas, D. J. D. & Jones, O. T. G.) 19P
Hydroxylysine in snail gelatin (Williams, A. P.) 304
6'α'-Hydroxyoestriol, partial synthesis of (Marrian, G. F. & Sneddon, A.) 430
Hydroxyproline, modification of the Neuman & Logan method for determination of (Leach, A. A.) 70
4'-Hydroxypteridines, spectrophotometric studies on combination of formaldehyde with (Blakley, R. L.) 71
5-Hydroxytryptophan–α-oxoglutarate transaminase in rat liver, occurrence and adaptive increase of (Sandler, M., Spector, R. G., Ruthven, C. R. J. & Davison, A. N.) 42P
Hyperparathyroidism, secondary, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Hypophosphatasia, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Hypophysectomy, effect of insulin on incorporation of amino acids into liver proteins of the rat after (Korner, A.) 471
Hypophysectomy of rat, effect of, on incorporation *in vivo* of radioactive amino acids into proteins of subcellular fractions of rat liver (Korner, A.) 462

Inosine monophosphate, formation of adenine nucleotides by, in skeletal-muscle preparations (Newton, A. A. & Perry, S. V.) 127
Insulin antagonist associated with human albumin (Vallance-Owen, J. & Lilley, M. D.) 18P
Insulin, effect of, on incorporation of amino acids into liver proteins of the hypophysectomized rat (Korner, A.) 471
Iodine isotope (^{131}I), radioiodine compounds of human urine after therapy with (Cameron, C.) 329, 333
Ions in muscle during development (Dickerson, J. W. T. & Widdowson, E. M.) 247
Iron isotope (^{59}Fe), distribution of, between ferritin and haemosiderin in rat tissues (Fulton, J. V. & Ramsay, W. N. M.) 24P
Ischaemia, limb, behaviour of liver mitochondria isolated from rats with different body temperatures after (Aldridge, W. N. & Stoner, H. B.) 148

Kalanchoë crenata, effects of carbon dioxide concentration on activity of malic enzyme from (Walker, D. A.) 216
Kidney, a naturally-occurring cyclic isomeride of ubiquinone-50 in (Laidman, D. L., Morton, R. A., Paterson, J. Y. F. & Pennock, J. F.) 541
Kidney, human, unsaturated alcohol from (Hemming, F. W., Morton, R. A. & Pennock, J. F.) 38P
Kinetics of irreversible inhibition of catalase (Margoliash, E. & Schejter, A.) 349
Kinetics of the reaction between thiol compounds and chloroacetamide (Lindley, H.) 577

Lecithin, presence of, in whole ram semen (Gray, G. M.) 1P
Leucine decarboxylase of *Proteus*, variation of Michaelis constant and substrate–coenzyme affinity with pH in (King, H. K. & Brown, S. J.) 3P
'Leucocyanidin 1', cacao, structure of (Forsyth, W. G. C. & Roberts, J. B.) 374
Leucocytes, human, lipid synthesis by, *in vitro* (Buchanan, A. A.) 25P
Lipid synthesis by human leucocytes *in vitro* (Buchanan, A. A.) 25P
Lipid synthesis in fowl blood (Webb, J. P. W., Allison, A. C. & James, A. T.) 30P
Lipids, brain, of the new-born, dietary galactose and synthesis of (Varma, S. N. & Schwarz, V.) 43P
Lipids, exchange of, between the cellular constituents and the lipoproteins of human blood (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Lipids, faecal, human, fatty acids of (James, A. T., Webb, J. P. W. & Kellock, T. D.) 21P
Lipids, incorporation of acetate into, by different types of human-blood cell (Rowe, C. E., Allison, A. C. & Lovelock, J. E.) 26P
Lipopolysaccharides, specific, of *Bordetella* spp. (MacLennan, A. P.) 398
Lipoproteins, exchange of lipids between the cellular constituents and, of human blood (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Liver, comparison of large particles from mammary gland and (Slater, T. F. & Planterose, D. N.) 584
Liver, isolation and characterization of a native cobalamin–polypeptide complex from (Hedbom, A.) 307
Liver mitochondria, behaviour of, isolated from rats with different body temperatures after limb ischaemia or after injection of 3:5-dinitro-*o*-cresol (Aldridge, W. N. & Stoner, H. B.) 148
Liver of different animal species, transaminations with pyruvate in (Corbett, K. & Rowsell, E. V.) 4P
Liver proteins, effect of insulin in the hypophysectomized rat on incorporation of amino acids into (Korner, A.) 471
Liver, rat, activation of latent dehydrogenases in mitochondria from (Bendall, D. S. & de Duve, C.) 444

Liver, rat, biosynthesis of 2-methoxyoestriol by preparations from (King, R. J. B.) 22P
Liver, rat, conversion of naphthalene into a derivative of glutathione by slices of (Booth, J., Boyland, E. & Sims, P.) 117
Liver, rat, effect of dietary fat and cholesterol on polyunsaturated fatty acids of cholesterol esters, phospholipids and triglycerides in (Patil, V. S. & Magar, N. G.) 441
Liver, rat, effect of hypophysectomy of rat and of treatment with growth hormone on incorporation *in vivo* of radioactive amino acids into proteins of subcellular fractions of (Korner, A.) 462
Liver, rat, intracellular distribution and properties of β-*N*-acetylglucosaminidase and β-galactosidase in (Sellinger, O. Z., Beaufay, H., Jacques, P., Doyen, A. & de Duve, C.) 450
Liver, rat, metabolism of L-erythrulose by slices of (Batt, R. D., Dickens, F. & Williamson, D. H.) 10P
Liver, rat, occurrence and adaptive increase of 5-hydroxytryptophan–α-oxoglutarate transaminase in (Sandler, M., Spector, R. G., Ruthven, C. R. J. & Davison, A. N.) 42P
Liver, rat, occurrence of amino acid-activating enzymes in mitochondria from (Craddock, V. M. & Simpson, M. V.) 10P
Liver, rat, synthesis of serum albumin by isolated microsome fraction from (Campbell, P. N., Greengard, O. & Kernot, B. A.) 107
Liver vitamin A and dietary cholesterol in normal and castrated male rats (Horner, A. A. & Morton, R. A.) 301
Locust fat body, pathway of trehalose biosynthesis in (Candy, D. J. & Kilby, B. A.) 19P
Lysolecithinase, distribution of, in animal tissues (Marples, E. A. & Thompson, R. H. S.) 123
Lysozyme, structure of disaccharide liberated by, from cell walls of *Micrococcus lysodeikticus* (Perkins, H. R.) 182
Lysozyme, substances reacting as hexosamine and as *N*-acetylhexosamine liberated from bacterial cell walls by (Perkins, H. R.) 186

Malic dehydrogenase in mitochondria of rat liver, activation of (Bendall, D. S. & de Duve, C.) 444
Malic enzyme from *Kalanchoë crenata*, effects of carbon dioxide concentration on activity of (Walker, D. A.) 216
Malonate, effect of, on respiration of homogenates of ox retina (Burgess, E. A., Kerly, M. & Rahman, M. A.) 4P
Mammary gland, comparison of large particles from liver and (Slater, T. F. & Planterose, D. N.) 584
Membrane permeability and metabolic inhibitors (Hicklin, J. A.) 40P
Mercapturic acids, deacetylation of, by rabbit, rat and guinea pig (Bray, H. G. & James, S. P.) 394
Metabolism, membrane permeability and inhibitors of (Hicklin, J. A.) 40P
Methionine, synthesis of, by suspensions of *Escherichia coli* (Gibson, F. & Woods, D. D.) 160
2-Methoxyoestriol, biosynthesis of, by rat-liver preparations (King, R. J. B.) 22P
O-Methyl ethers of rhamnose and fucose, occurrence of, in specific glycolipids of certain mycobacteria (MacLennan, A. P., Smith, D. W. & Randall, H. M.) 3P
Mevalonate, synthesis of allyl pyrophosphates from, with liver enzymes (Goodman, D. S. & Popják, G.) 35P
Micrococcus lysodeikticus, structure of a disaccharide liberated by lysozyme from the cell walls of (Perkins, H. R.) 182
Microsome fraction, isolated, synthesis of serum albumin by, from rat liver (Campbell, P. N., Greengard, O. & Kernot, B. A.) 107
Microsomes of rat liver, fatty acids of phospholipids from (Macfarlane, M. G., Gray, G. M. & Wheeldon, L. W.) 43P
Milk fat, bovine, role of *n*-valeric acid in synthesis of higher saturated straight-chain acids containing an odd number of carbon atoms in (Gerson, T., Hawke, J. C., Shorland, F. B. & Melhuish, W. H.) 366
Milk, human, xanthine oxidase of (Bradley, P. L. & Gunther, M.) 15P
Mitochondria, liver, behaviour of, isolated from rats with different body temperatures after limb ischaemia or after injection of 3:5-dinitro-*o*-cresol (Aldridge, W. N. & Stoner, H. B.) 148
Mitochondria, mechanism of action of hydrocortisone on metabolism of (Gallagher, C. H.) 38
Mitochondria of rat liver, activation of latent dehydrogenases in (Bendall, D. S. & de Duve, C.) 444
Mitochondria of rat liver, fatty acids of phospholipids from (Macfarlane, M. G., Gray, G. M. & Wheeldon, L. W.) 43P
Mitochondria of rat liver, occurrence of amino acid-activating enzymes in (Craddock, V. M. & Simpson, M. V.) 10P
Mitochondria, oxidative phosphorylation in, of Ehrlich ascites-tumour cell (Hawtrey, A. O. & Silk, M. H.) 21
Monoamine oxidase, distribution and activity of, in mouse tissues (Hope, D. B. & Smith, A. D.) 101
Monoamine-oxidase inhibition, metabolism of amines in normal and phenylketonuric humans and (Jepson, J. B., Lovenberg, W., Zaltzman, P., Oates, J. A., Sjoerdsma, A. & Udenfriend, S.) 5P
[^{131}I]Monoiodotyrosine, presence of, in human urine after ^{131}I therapy (Cameron, C.) 333
Mucopolysaccharide, isolation of, from cell-wall preparations of *Bacillus subtilis* (Janczura, E., Perkins, H. R. & Rogers, H. J.) 7P
Mucopolysaccharides, acid, of sexual skin of apes and monkeys (Rienits, K. G.) 27
Mucoprotein, isolation of neutral heteropolysaccharide containing, from bovine Achilles tendon with the aid of collagenmucoproteinase (Banga, I. & Baló, J.) 388
Muscle, skeletal, chemical changes in, during development (Dickerson, J. W. T. & Widdowson, E. M.) 247
Mycobacillin, amino acid sequence in (Majumdar, S. K. & Bose, S. K.) 596
Mycobacteria, occurrence of *O*-methyl ethers of rhamnose and fucose in specific glycolipids of (MacLennan, A. P., Smith, D. W. & Randall, H. M.) 3P
Myoglobins, artificial, from haematins lacking free carboxyl groups (O'Hagan, J. E. & George, P.) 424
Myosin, sedimentation of (Johnson, P. & Rowe, A. J.) 432
L-Myosin, chromatography of, on diethylaminoethylcellulose (Perry, S. V.) 94

Naphthalene, conversion of, into a derivative of glutathione by rat-liver slices (Booth, J., Boyland, E. & Sims, P.) 117
S-Naphthylglutathione, conversion of, into *S*-naphthylcysteine by rat-kidney homogenates (Booth, J., Boyland, E. & Sims, P.) 117
S-Naphthylglutathione, synthesis of (Booth, J., Boyland, E. & Sims, P.) 117
Nicotinamide, metabolism of, in *Corcyra cephalonica* St. (Rajagopalan, K. V., Sundaram, T. K. & Sarma, P. S.) 355
Nicotinic acid, metabolism of, in *Corcyra cephalonica* St. (Rajagopalan, K. V., Sundaram, T. K. & Sarma, P. S.) 355
Nitrogen isotope (^{15}N), incorporation of, into adenine nucleotides by skeletal-muscle preparations (Newton, A. A. & Perry, S. V.) 127
Nitrogenous constituents in muscle during development (Dickerson, J. W. T. & Widdowson, E. M.) 247
Nitrosomonas europaea, oxidation of hydroxylamine in cell-free extracts of (Nicholas, D. J. D. & Jones, O. T. G.) 19P

Nocardia rugosa, isolation of guanosine diphosphate factor B from (Barchielli, R., Boretti, G., di Marco, A., Julita, P., Migliacci, A., Minghetti, A. & Spalla, C.) 382
Nucleoproteins of white clover (Lyttleton, J. W.) 82

Ohta's acid ('tetrahydroxynorsterocholanic acid'), identification of (Anderson, I. G. & Haslewood, G. A. D.) 37P
Osteomalacia, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Oxidase, aromatic-alcohol, activity of, in the growth medium of *Polystictus versicolor* (Farmer, V. C., Henderson, M. E. K. & Russell, J. D.) 257
17-Oxo steroids, stimulation of synthesis of, by aryl sulphamate (Roy, A. B.) 49
6-Oxo-oestriol, partial synthesis of (Marrian, G. F. & Sneddon, A.) 430
Oxygen, reactions of reduced flavine nucleotides with (Gutfreund, H.) 17P

Paraoxonase, purification of, from sheep serum (Main, A. R.) 10
Pea seeds, hydrolysis of glucose monophosphates from a phosphatase preparation from (Turner, D. H. & Turner, J. F.) 486
Penicillium kinase, activation of trypsinogen by (Hofmann, T.) 41P
Penicillium viridicatum, formation of viridicatic acid (ethylcarlosic acid) in (Birkinshaw, J. H. & Samant, M. S.) 369
Pentachlorobenzene, metabolism of, in rabbit (Parke, D. V. & Williams, R. T.) 5
Pentosanases of some rumen bacteria (Howard, B. H., Jones, G. & Purdom, M. R.) 173
Peptide with insulin-like properties, separation of, from preparations of ox growth hormone (Huggins, A. K. & Ottaway, J. H.) 23P
Phenolic glycosides, formation of, by germinating broad-bean (*Vicia faba*) seeds (Pridham, J. B. & Saltmarsh, M. J.) 42P
Phenolic substances, formation of, in *Eucalyptus gigantea* and *Eucalyptus sieberiana* (Hillis, W. E. & Carle, A.) 607
Phenylketonuria, metabolism of amines in patients with, studied by inhibition of monoamine oxidase (Jepson, J. B., Lovenberg, W., Zaltzman, P., Oates, J. A., Sjoerdsma, A. & Udenfriend, S.) 5P
Phosphatase preparation from pea seeds, hydrolysis of glucose monophosphates by (Turner, D. H. & Turner, J. F.) 486
Phosphoglucomutase in liver (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 223
Phosphohexoisomerase in liver (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 223
Phospholipase B, distribution of, in mammalian tissues (Marples, E. A. & Thompson, R. H. S.) 123
Phospholipids, effect of dietary fat and cholesterol on polyunsaturated fatty acids of, in rat liver (Patil, V. S. & Magar, N. G.) 441
Phospholipids, exchange of, between blood cells and plasma (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Phospholipids, fatty acids of, from mitochondria and microsomes of rat liver (Macfarlane, M. G., Gray, G. M. & Wheeldon, L. W.) 43P
Phospholipids, formation of, by red blood cells (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Phosphorylcholine, occurrence of, in goat placenta (Neil, M. W.) 32P
Phosphorylethanolamine, occurrence of, in goat placenta (Neil, M. W.) 32P
Phosphotriose isomerase, observations on (Parr, C. W. & Whittaker, M.) 34P
Pituitary gland, effect of, on incorporation *in vivo* of amino acids into proteins of subcellular fractions of rat liver (Korner, A.) 462
Placenta, goat, occurrence of phosphorylcholine and phosphorylethanolamine in (Neil, M. W.) 32P
Placenta, goat, transmission of sugars across (Walker, D. G.) 287
Placenta, human, preparation of soluble vasopressinase from (Hooper, K. C.) 297
Plasma, human, lipids and component fatty acids of (Patil, V. S. & Magar, N. G.) 427
Plasma proteins, electrophoresis of, in starch gels (Harris, H., Penington, D. G. & Robson, E. B.) 44P
Polyglucose sulphate in chondroid tissue of the snail *Busycon* (Lash, J. W. & Whitehouse, M. W.) 351
Polyphenols, seed, of *Theobroma* spp., comparative study of (Griffiths, L. A.) 362
Polystictus versicolor, aromatic-alcohol-oxidase activity in the growth medium of (Farmer, V. C., Henderson, M. E. K. & Russell, J. D.) 257
Potassium *p*-nitrophenyl [^{35}S]sulphate, metabolic fate of ester sulphate group of (Dodgson, K. S. & Tudball, N.) 154
Potato, cultivated, anthocyanin production in (Harborne, J. B.) 262
Prostate, androgen-activated pyridine nucleotide transhydrogenase in (Baron, D. N., Gore, M. B. R. & Williams, D. C.) 20P
Protein, digestion and absorption of, by normal man (Crane, C. W. & Neuberger, A.) 313
Protein from leaves catalysing the reduction of haem–protein compounds by illuminated chloroplasts (Davenport, H. E. & Hill, R.) 493
Protein impurities in gelatins (Leach, A. A.) 61
Protein of catalase, irreversible reaction of 3-amino-1:2:4-triazole with (Margoliash, E., Novogrodsky, A. & Schejter, A.) 339
Protein, relationship between the synthesis of, and the synthesis of ribonucleic acid in connective-tissue cell (Harris, H.) 276
Protein synthesis in protoplasts of *Bacillus megaterium* (Hunter, G. D. & Goodsall, R. A.) 34P
Proteinase activity of gastric mucosal extracts from patients with carcinoma of the stomach (Taylor, W. H.) 29P
Proteins, liver, effect of insulin in the hypophysectomized rat on incorporation of amino acids into (Korner, A.) 471
Proteins, micro-determination of (Halliwell, G.) 457
Proteins of subcellular fractions of rat liver, effect of hypophysectomy of rat and of treatment with growth hormone on incorporation *in vivo* of radioactive amino acids into (Korner, A.) 462
Proteins, plasma, electrophoresis of, in starch gels (Harris, H., Penington, D. G. & Robson, E. B.) 44P
Proteins, serum, association of [^{14}C]vitamin D_3 with (Chalk, K. J. I. & Kodicek, E.) 22P
Proteus, variation of Michaelis constant and substrate–coenzyme affinity with pH in leucine decarboxylase of (King, H. K. & Brown, S. J.) 3P
Pseudomonas aeruginosa, amidase production by (Kelly, M. & Clarke. P. H.) 21P
Purine analogues, effect of, on cell-wall synthesis in *Staphylococcus aureus* (Rogers, H. J. & Perkins, H. R.) 6P
Pyridine nucleotide transhydrogenase, androgen-activated, in prostatic tissue (Baron, D. N., Gore, M. B. R. & Williams, D. C.) 20P
Pyrimidine analogues, effect of, on cell-wall synthesis in *Staphylococcus aureus* (Rogers, H. J. & Perkins, H. R.) 6P
Pyruvate, breakdown of, by cell-free extracts of the rumen micro-organism LC (Peel, J. L.) 525
Pyruvate, conversion of C-1, C-2 and C-3 of, into carbon dioxide in plant tissues (Neal, G. E. & Beevers, H.) 40

Pyruvate, transaminations with, in livers of different animal species (Corbett, K. & Rowsell, E. V.) 4P
Pyruvate utilization in castor-bean endosperm and other tissues (Neal, G. E. & Beevers, H.) 409

Radioiodine compounds of human urine after ^{131}I therapy (Cameron, C.) 329, 333
Renal failure, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Retina, ox, effect of malonate on respiration of homogenates of (Burgess, E. A., Kerly, M. & Rahman, M. A.) 4P
Retina, pathways of glucose oxidation in (Kerly, M. & Rahman, M. A.) 16P
Rhamnose, occurrence of *O*-methyl ethers of, in specific glycolipids of certain mycobacteria (MacLennan, A. P., Smith, D. W. & Randall, H. M.) 3P
Ribonuclease, pancreatic, bovine, spectrophotometric assay of, by the use of cytidine 2′:3′-phosphate (Crook, E. M., Mathias, A. P. & Rabin, B. R.) 234
Ribonucleic acid, relationship between the synthesis of protein and the synthesis of, in connective-tissue cell (Harris, H.) 276
Ribonucleoprotein, bacterial, synthesized in the presence of chloramphenicol (Dagley, S. & Sykes, J.) 11P
Rickets, renal clearances of amino acids in (Cusworth, D. C. & Dent, C. E.) 550
Rumen bacteria, pentosanases of (Howard, B. H., Jones, G. & Purdom, M. R.) 173
Rumen micro-organism LC, breakdown of pyruvate by cell-free extracts of (Peel, J. L.) 525

Saccharomyces cerevisiae, mechanism of the formation of higher alcohols from amino acids by (SentheShanmuganathan, S.) 568
Salicylate, effects of, on the metabolism of [^{14}C]glucose and [2-^{14}C]acetate in isolated rat tissues (Smith, M. J. H. & Moses, V.) 17P
Salicylate, sodium, [^{14}C]glucose metabolism in baker's yeast and the effects of (Moses, V. & Smith, M. J. H.) 18P
SC, substance, in human kidney (Laidman, D. L., Morton, R. A., Paterson, J. Y. F. & Pennock, J. F.) 541
Scopolin in flowers of *Solanum pinnatisectum* (Harborne, J. B.) 270
Semen, ram, whole, presence of lecithin in (Gray, G. M.) 1P
Serine, effect of vitamin B_{12} on metabolism of (Arnstein, H. R. V.) 616
Serum, sheep, purification of enzyme hydrolysing diethyl *p*-nitrophenyl phosphate (paraoxon) in (Main, A. R.) 10
SH-group content of human foetal and sickle-cell haemoglobins (Allison, A. C., Cecil, R. & Snow, N. S.) 273
Sialomucopolysaccharide, blood-group-specific, possessing virus-receptor activity (Pusztai, A. & Morgan, W. T. J.) 31P
Sickle-cell haemoglobin, human, SH-group content of (Allison, A. C., Cecil, R. & Snow, N. S.) 273
Skin, sexual, of apes and monkeys, acid mucopolysaccharides of (Rienits, K. G.) 27
Snail (*Busycon*), polyglucose sulphate in chondroid tissue of (Lash, J. W. & Whitehouse, M. W.) 351
Snail gelatin, chemical composition of (Williams, A. P.) 304
Solanum pinnatisectum, coumarins of (Harborne, J. B.) 270
Spleen, bovine, isolation and properties of cathepsin D from (Press, E. M., Porter, R. R. & Cebra, J.) 501
Squalene, relation of allyl pyrophosphates synthesized from mevalonate with liver enzymes to biosynthesis of (Goodman, D. S. & Popják, G.) 35P
Staphylococcus aureus, aminoacetone formation by (Elliott, W. H.) 478
Staphylococcus aureus, early biochemical changes accompanying inhibition by streptomycin of the growth of (Hancock, R.) 12P
Staphylococcus aureus, effect of 5-fluorouracil and other pyrimidine and purine analogues on cell-wall synthesis in (Rogers, H. J. & Perkins, H. R.) 6P
Starch-gel electrophoresis, photography of gels from (Jacobs, R.) 45P
Steroid esters, partition chromatography of (Edwards, R. W. H.) 27P
Streptomycin, early biochemical changes accompanying inhibition by, of the growth of *Staphylococcus aureus* (Hancock, R.) 12P
Substance SC in human kidney (Laidman, D. L., Morton, R. A., Paterson, J. Y. F. & Pennock, J. F.) 541
Succinate–neotetrazolium-reductase system, assay procedure for (Slater, T. F. & Planterose, D. N.) 591
Sugars, transmission of, across goat placenta (Walker, D. G.) 287

Temperature, body, liver mitochondria and, of rats (Aldridge, W. N. & Stoner, H. B.) 148
Tendon, Achilles, bovine, isolation of neutral heteropolysaccharide containing mucoprotein from, with the aid of collagenmucoproteinase (Banga, I. & Baló, J.) 388
Tenuazonic acid, biosynthesis of (Stickings, C. E. & Townsend, R. J.) 36P
Tetrahydropteroylglutamic acid, spectrophotometric studies on combination of formaldehyde with (Blakley, R. L.) 71
(−)-7:3′:4′:5′-Tetrahydroxyflavan-3-ol in black-wattle bark (Roux, D. G. & Maihs, E. A.) 44
'Tetrahydroxynorsterocholanic acid' (Ohta's acid), identification of (Anderson, I. G. & Haslewood, G. A. D.) 37P
Theobroma spp., comparative study of the seed polyphenols of (Griffiths, L. A.) 362
β-2-Thienylalanine, effect of, on synthesis of ribonucleic acid and protein (Harris, H.) 276
Thiobacillus thio-oxidans, glutathione reductase of (Suzuki, I. & Werkman, C. H.) 359
Thiol compounds, kinetics of the reaction between chloroacetamide and (Lindley, H.) 577
Threonine, conversion of, into aminoacetone by *Staphylococcus aureus* (Elliott, W. H.) 478
Thyroid 'cysteinyltyrosinase' (Loughlin, R. E. & Trikojus, V. M.) 39P
Transaminations with pyruvate in livers of different animal species (Corbett, K. & Rowsell, E. V.) 4P
Trehalose biosynthesis, pathway of, in locust fat body (Candy, D. J. & Kilby, B. A.) 19P
1:3:5-Trichlorobenzene, metabolism of, in rabbit (Parke, D. V. & Williams, R. T.) 5
Trichomonas foetus, stepwise degradation of blood-group H mucopolysaccharide by an enzyme preparation from (Tyler, H. M. & Watkins, W. M.) 2P
Triglycerides, effect of dietary fat and cholesterol on polyunsaturated fatty acids of, in rat liver (Patil, V. S. & Magar, N. G.) 441
Triglycerides, exchange of, between blood cells and plasma (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
Triglycerides, formation of, by red blood cells (Lovelock, J. E., James, A. T. & Rowe, C. E.) 137
[^{131}I]3:5:3′-Tri-iodothyronine, presence of, in human urine after ^{131}I therapy (Cameron, C.) 333
Trypsinogen, activation of, by *Penicillium* kinase (Hofmann, T.) 41P
Tryptophanase of *Escherichia coli*, degradation of *Bz*-substituted tryptophans by (Hall, A. N., Leeson, J. A., Rydon, H. N. & Tweddle, J. C.) 209
Tryptophans, *Bz*-substituted, degradation of, by *Escherichia coli* tryptophanase (Hall, A. N., Leeson, J. A., Rydon, H. N. & Tweddle, J. C.) 209

Tumour cell, ascites, Ehrlich, oxidative phosphorylation in mitochondria of (Hawtrey, A. O. & Silk, M. H.) 21

Ubichromenol in human kidney (Laidman, D. L., Morton, R. A., Paterson, J. Y. F. & Pennock, J. F.) 541
Ubiquinone, biosynthesis of, in rat (Lawson, D. E. M., Mercer, E. I., Glover, J. & Morton, R. A.) 38P
Ubiquinone-50, a naturally-occurring cyclic isomeride of, in kidney (Laidman, D. L., Morton, R. A., Paterson, J. Y. F. & Pennock, J. F.) 541
Urine, human, further observations on a fat-mobilizing substance extractable from (Pawan, G. L. S.) 29P
Urine, human, radioiodine compounds of, after ^{131}I therapy (Cameron, C.) 329, 333

n-Valeric acid, role of, in synthesis of higher saturated straight-chain acids containing an odd number of carbon atoms in bovine milk fat (Gerson, T., Hawke, J. C., Shorland, F. B. & Melhuish, W. H.) 366
Valine (tritium-labelled), preparation of (Harris, H.) 276
Vasopressinase, soluble, preparation of, from human placenta (Hooper, K. C.) 297
Viridicatic acid (ethylcarlosic acid), formation of, by *Penicillium viridicatum* (Birkinshaw, J. H. & Samant, M. S.) 369
Vitamin A, liver, and dietary cholesterol in normal and castrated male rats (Horton, A. A. & Morton, R. A.) 301
Vitamin B_{12}, effect of, on the metabolism of formate (Arnstein, H. R. V.) 616
Vitamin B_{12} group, isolation and structure of guanosine diphosphate factor B of (Barchielli, R., Boretti, G., di Marco, A., Julita, P., Migliacci, A., Minghetti, A. & Spalla, C.) 382
[^{14}C]Vitamin D_2, association of, with serum proteins (Chalk, K. J. I. & Kodicek, E.) 22P
Von Gierke's disease (glycogen-storage disease), biochemical investigation of a patient with (Calderbank, A., Kent, P. W., Lorber, J., Manners, D. J. & Wright, A.) 223

Water in muscle during development (Dickerson, J. W. T. & Widdowson, E. M.) 247
White clover, nucleoproteins of (Lyttleton, J. W.) 82

Xanthine oxidase of human milk and colostrum (Bradley, P. L. & Gunther, M.) 15P
Xanthurenic acid, metabolism of, in rat (Baglioni, C., Fasella, P., Turano, C. & Siliprandi, N.) 521
Xylan, enzymic hydrolysis of (Howard, B. H., Jones, G. & Purdom, M. R.) 173
Xylan-fermenting bacterium 11, isolation and properties of (Butterworth, J. P., Bell, S. E. & Garvock, M. G.) 180

Yeast, baker's, effects of 2:4-dinitrophenol and sodium salicylate on [^{14}C]glucose metabolism in (Moses, V. & Smith, M. J. H.) 18P
Yeast, ^{15}N-labelled protein of (Crane, C. W. & Neuberger, A.) 313

Zinc isotope (^{65}Zn), studies on the binding of, by equine erythrocytes *in vitro* (Sivarama Sastry, K., Viswanathan, L., Ramaiah, A. & Sarma, P. S.) 561